



COMMONLY ABUSED DRUGS AND WITHDRAWAL SYMPTOMS

DRUG NAME	WITHDRAWAL SYMPTOMS
Marijuana	<i>Irritability</i> <i>Trouble sleeping</i> <i>Decreased appetite</i> <i>Anxiety</i>
Prescription Opioids	<i>Restlessness</i> <i>Muscle and bone pain</i> <i>Insomnia</i> <i>Diarrhea</i> <i>Vomiting</i> <i>Cold flashes with goose bumps</i> <i>Leg movements</i>
Prescription Sedatives & Tranquilizers	<i>Seizures</i> <i>Shakiness</i> <i>Anxiety</i> <i>Agitation</i> <i>Insomnia</i> <i>Overactive reflexes</i> <i>Increased heart rate, blood pressure, and temperature with sweating</i> <i>Hallucinations</i> <i>Severe cravings</i>
Prescription Stimulants	<i>Depression</i> <i>Tiredness</i> <i>Sleep Problems</i>
Steroids	<i>Mood swings</i> <i>Tiredness</i> <i>Restlessness</i> <i>Loss of appetite</i> <i>Insomnia</i> <i>Lowered sex drive</i> <i>Depression</i>
Tobacco	<i>Irritability</i> <i>Attention problems</i> <i>Sleep problems</i> <i>Increased appetite</i>

Withdrawal symptoms can be severe. Patients experiencing withdrawal from these substances, especially prescription and illicit opioids, should seek immediate medical attention.